


art

POWER CARRYING SOLUTIONS



KABLO MERDİVEN SİSTEMLERİ

CABLE LADDER SYSTEMS



H40 AKM SERIES

PERÇİNLİ KABLO MERDİVENİ

CABLE LADDERS WITH RIVET


PREGALVANİZ (PG)
PREGALVANİZ (PG)
TS EN 10346




Sipariş Kodu Order Code	W (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
40 AKM 100-10	100	1.00 mm	1,187	2002001
40 AKM 200-10	200	1.00 mm	1,325	2002002
40 AKM 300-10	300	1.00 mm	1,464	2002003
40 AKM 400-10	400	1.00 mm	1,602	2002004
40 AKM 500-10	500	1.00 mm	1,741	2002005
40 AKM 600-10	600	1.00 mm	1,879	2002006

Sipariş Kodu Order Code	W (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
40 AKM 100-12	100	1.20 mm	1,535	2002007
40 AKM 200-12	200	1.20 mm	1,674	2002008
40 AKM 300-12	300	1.20 mm	1,812	2002009
40 AKM 400-12	400	1.20 mm	1,951	2002010
40 AKM 500-12	500	1.20 mm	2,089	2002011
40 AKM 600-12	600	1.20 mm	2,228	2002012

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS



7 basamak (standart üretim)
7 rungs (standart product)







ARTIM METAL ELEKTRİK A.Ş.

- * Farklı kalınlık ve ölçülerde üretim yapılabılır.
- * Malzeme ağırlıkları yaklaşık değerlerdir, \pm %10 değişiklik gösterebilir.
- * Malzeme kalınlık toleransı \pm %10 dur.
- * Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve kaplama şeklini belirtiniz.

- * We can produce cable trays different thickness and dimensions
- * Cable trays are shown approximately weight, they could change \pm %10 difference.
- * Cable trays thickness tolerances are shown \pm %10 .
- * Please indicate order code and coating type in your orders.

40 AKM100-10

Yükseklik Kanal Tipi Genişlik Kalınlık
Height Type Width Thickness



H40 AKM SERIES

KAYNAKLI KABLO MERDİVENİ

CABLE LADDERS WELDED

SICAK DALDIRMA (SD)

HOT DIP GALVANIZED (HDG)

TS EN ISO 1461



1.20 mm

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
40 AKM 100-12	100	1.20 mm	1,728	2002007
40 AKM 200-12	200	1.20 mm	1,932	2002008
40 AKM 300-12	300	1.20 mm	2,137	2002009
40 AKM 400-12	400	1.20 mm	2,341	2002010
40 AKM 500-12	500	1.20 mm	2,546	2002011
40 AKM 600-12	600	1.20 mm	2,750	2002012

1.50 mm


Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
40 AKM 100-15	100	1.50 mm	2,016	2002017
40 AKM 200-15	200	1.50 mm	2,254	2002018
40 AKM 300-15	300	1.50 mm	2,493	2002019
40 AKM 400-15	400	1.50 mm	2,731	2002020
40 AKM 500-15	500	1.50 mm	2,970	2002021
40 AKM 600-15	600	1.50 mm	3,209	2002022
40 AKM 700-15	700	1.50 mm	3,447	2002023
40 AKM 800-15	800	1.50 mm	3,686	2002024
40 AKM 900-15	900	1.50 mm	3,924	2002025
40 AKM 1000-15	1.000	1.50 mm	4,163	2002026

2.00 mm





Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
40 AKM 100-20	100	2.00 / 1.50 mm	2,655	2002027
40 AKM 200-20	200	2.00 / 1.50 mm	2,893	2002028
40 AKM 300-20	300	2.00 / 1.50 mm	3,132	2002029
40 AKM 400-20	400	2.00 / 1.50 mm	3,370	2002030
40 AKM 500-20	500	2.00 / 1.50 mm	3,609	2002031
40 AKM 600-20	600	2.00 / 1.50 mm	3,848	2002032
40 AKM 700-20	700	2.00 / 1.50 mm	4,086	2002033
40 AKM 800-20	800	2.00 / 1.50 mm	4,325	2002034
40 AKM 900-20	900	2.00 / 1.50 mm	4,563	2002035
40 AKM 1000-20	1.000	2.00 / 1.50 mm	4,802	2002036

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

8 basamak (standart üretim)
8 rungs (standart product)



40 AKM 100-12



* Farklı kalınlık ve ölçülerde üretim yapıla bilinir.
* Malzeme ağırlıkları yaklaşık değerlerdir, \pm %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı \pm %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change \pm %10 difference.
* Cable trays thickness tolerances are shown \pm %10 .
* Please indicate order code and coating type in your orders.

H60 AKM SERIES

PERÇİNLİ KABLO MERDİVENİ

CABLE LADDERS WITH RIVET

PREGALVANİZ (PG)
PREGALVANIZED (PG)
TS EN 10346








Sipariş Kodu Order Code	W (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
60 AKM 100-10	100	1.00 mm	1,469	2002013
60 AKM 200-10	200	1.00 mm	1,608	2002014
60 AKM 300-10	300	1.00 mm	1,746	2002015
60 AKM 400-10	400	1.00 mm	1,885	2002016
60 AKM 500-10	500	1.00 mm	2,023	2002017
60 AKM 600-10	600	1.00 mm	2,162	2002018

Sipariş Kodu Order Code	W (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
60 AKM 100-12	100	1.20 mm	1,912	2002019
60 AKM 200-12	200	1.20 mm	2,051	2002020
60 AKM 300-12	300	1.20 mm	2,189	2002021
60 AKM 400-12	400	1.20 mm	2,328	2002022
60 AKM 500-12	500	1.20 mm	2,466	2002023
60 AKM 600-12	600	1.20 mm	2,605	2002024


H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

60 AKM100-10

Yükseklik Kanal Tipi Genişlik Kalınlık
Height Type Width Thickness



7 basamak (standart üretim)
7 rungs (standart product)



ARTIM METAL ELEKTRİK A.Ş.

- * Farklı kalınlık ve ölçülerde üretim yapılabılır.
- * Malzeme ağırlıkları yaklaşık değerlerdir, \pm %10 değişiklik gösterebilir.
- * Malzeme kalınlık toleransı \pm %10 dur.
- * Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

- * We can produce cable trays different thickness and dimensions
- * Cable trays are shown approximately weight, they could change \pm %10 difference.
- * Cable trays thickness tolerances are shown \pm %10 .
- * Please indicate order code and coating type in your orders.

H60 AKM SERIES

KAYNAKLI KABLO MERDİVENİ

CABLE LADDERS WELDED

SICAK DALDIRMA (SD)

HOT DIP GALVANIZED (HDG)

TS EN ISO 1461



1.20 mm

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
60 AKM 100-12	100	1.20 mm	2,142	2002037
60 AKM 200-12	200	1.20 mm	2,347	2002038
60 AKM 300-12	300	1.20 mm	2,551	2002039
60 AKM 400-12	400	1.20 mm	2,756	2002040
60 AKM 500-12	500	1.20 mm	2,960	2002041
60 AKM 600-12	600	1.20 mm	3,165	2002042
60 AKM 700-12	700	1.20 mm	3,369	2002043
60 AKM 800-12	800	1.20 mm	3,574	2002044
60 AKM 900-12	900	1.20 mm	3,778	2002045
60 AKM 1000-12	1.000	1.20 mm	3,983	2002046

1.50 mm

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
60 AKM 100-15	100	1.50 mm	2,499	2002047
60 AKM 200-15	200	1.50 mm	2,738	2002048
60 AKM 300-15	300	1.50 mm	2,976	2002049
60 AKM 400-15	400	1.50 mm	3,215	2002050
60 AKM 500-15	500	1.50 mm	3,454	2002051
60 AKM 600-15	600	1.50 mm	3,692	2002052
60 AKM 700-15	700	1.50 mm	3,931	2002053
60 AKM 800-15	800	1.50 mm	4,169	2002054
60 AKM 900-15	900	1.50 mm	4,408	2002055
60 AKM 1000-15	1.000	1.50 mm	4,646	2002056





2.00 mm

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
60 AKM 100-20	100	2.00 /1.50 mm	3,311	2002057
60 AKM 200-20	200	2.00 /1.50 mm	3,550	2002058
60 AKM 300-20	300	2.00 /1.50 mm	3,788	2002059
60 AKM 400-20	400	2.00 /1.50 mm	4,027	2002060
60 AKM 500-20	500	2.00 /1.50 mm	4,265	2002061
60 AKM 600-20	600	2.00 /1.50 mm	4,504	2002062
60 AKM 700-20	700	2.00 /1.50 mm	4,742	2002063
60 AKM 800-20	800	2.00 /1.50 mm	4,981	2002064
60 AKM 900-20	900	2.00 /1.50 mm	5,220	2002065
60 AKM 1000-20	1.000	2.00 /1.50 mm	5,458	2002066

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

60 AKM 100-12

Yükseklik Kanal Tipi Genişlik Kalınlık
Height Type Width Thickness



* Farklı kalınlık ve ölçülerde üretim yapıla bilinir.
* Malzeme ağırlıkları yaklaşık değerlerdir, ± %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı ± %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change ± %10 difference.
* Cable trays thickness tolerances are shown ± %10 .
* Please indicate order code and coating type in your orders.

H100 AKM SERIES

KAYNAKLI KABLO MERDİVENİ

CABLE LADDERS WELDED

SICAK DALDIRMA (SD)
HOT DIP GALVANIZED (HDG)
TS EN ISO 1461




Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
100 AKM 100-15	100	1.50 mm	3,495	2002067
100 AKM 200-15	200	1.50 mm	3,814	2002068
100 AKM 300-15	300	1.50 mm	4,133	2002069
100 AKM 400-15	400	1.50 mm	4,452	2002070
100 AKM 500-15	500	1.50 mm	4,771	2002071
100 AKM 600-15	600	1.50 mm	5,090	2002072
100 AKM 700-15	700	1.50 mm	5,410	2002073
100 AKM 800-15	800	1.50 mm	5,729	2002074
100 AKM 900-15	900	1.50 mm	6,048	2002075
100 AKM 1000-15	1.000	1.50 mm	6,367	2002076

1.50 mm


60 AKM100-10

Yükseklik Kanal Tipi Genişlik Kalınlık
Height Type Width Thickness




Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
100 AKM 100-20	100	2.00 /1.50 mm	4,635	2002077
100 AKM 200-20	200	2.00 /1.50 mm	4,954	2002078
100 AKM 300-20	300	2.00 /1.50 mm	5,273	2002079
100 AKM 400-20	400	2.00 /1.50 mm	5,592	2002080
100 AKM 500-20	500	2.00 /1.50 mm	5,911	2002081
100 AKM 600-20	600	2.00 /1.50 mm	6,230	2002082
100 AKM 700-20	700	2.00 /1.50 mm	6,549	2002083
100 AKM 800-20	800	2.00 /1.50 mm	6,869	2002084
100 AKM 900-20	900	2.00 /1.50 mm	7,188	2002085
100 AKM 1000-20	1.000	2.00 /1.50 mm	7,507	2002086

2.00 mm



H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

8 basamak (standart üretim)
8 rungs (standart product)



ARTIM METAL ELEKTRİK A.Ş.

- * Farklı kalınlık ve ölçülerde üretim yapılabılır.
- * Malzeme ağırlıkları yaklaşık değerlerdir, \pm %10 değişiklik gösterebilir.
- * Malzeme kalınlık toleransı \pm %10 dur.
- * Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

- * We can produce cable trays different thickness and dimensions
- * Cable trays are shown approximately weight, they could chande \pm %10 difference.
- * Cable trays thickness tolerances are shown \pm %10 .
- * Please indicate order code and coating type in your orders.

H150 AKM SERIES

KAYNAKLI KABLO MERDİVENİ

CABLE LADDERS WELDED

SICAK DALDIRMA (SD)

HOT DIP GALVANIZED (HDG)

TS EN ISO 1461




1.50 mm

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
150 AKM 200-15	200	1.50 mm	5,023	2002150
150 AKM 300-15	300	1.50 mm	5,342	2002151
150 AKM 400-15	400	1.50 mm	5,661	2002152
150 AKM 500-15	500	1.50 mm	5,980	2002153
150 AKM 600-15	600	1.50 mm	6,299	2002154
150 AKM 700-15	700	1.50 mm	6,618	2002155
150 AKM 800-15	800	1.50 mm	6,938	2002156
150 AKM 900-15	900	1.50 mm	7,257	2002157
150 AKM 1000-15	1.000	1.50 mm	7,576	2002158

150 AKM100-10





Yükseklik Kanal Tipi Genişlik Kalınlık
Height Type Width Thickness



2.00 mm


Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
150 AKM 200-20	200	2.00 / 1.50 mm	6,594	2002159
150 AKM 300-20	300	2.00 / 1.50 mm	6,913	2002160
150 AKM 400-20	400	2.00 / 1.50 mm	7,233	2002161
150 AKM 500-20	500	2.00 / 1.50 mm	7,552	2002162
150 AKM 600-20	600	2.00 / 1.50 mm	7,871	2002163
150 AKM 700-20	700	2.00 / 1.50 mm	8,190	2002164
150 AKM 800-20	800	2.00 / 1.50 mm	8,509	2002165
150 AKM 900-20	900	2.00 / 1.50 mm	8,828	2002166
150 AKM 1000-20	1.000	2.00 / 1.50 mm	9,148	2002167

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS



8 basamak (standart üretim)

8 rungs (standart product)



* Farklı kalınlık ve ölçülerde üretim yapılabılır.
* Malzeme ağırlıkları yaklaşık değerlerdir, \pm %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı \pm %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change \pm %10 difference.
* Cable trays thickness tolerances are shown \pm %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

90° YATAY DÖNÜS

90° BEND

SICAK DALDIRMA (SD)
HOT DIP GALVANIZED (HDG)
TS EN ISO 1461



H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes

H100 = H150 = Dört delikli
H100 = H150 = Four holes

H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100Y	100	1.50 mm	1,381	2002100
40 AKM 200Y	200	1.50 mm	1,780	2002101
40 AKM 300Y	300	1.50 mm	2,390	2002102
40 AKM 400Y	400	2.00 mm	3,738	2002103
40 AKM 500Y	500	2.00 mm	4,338	2002104
40 AKM 600Y	600	2.00 mm	4,938	2002105

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100Y	100	1.50 mm	1,706	2002116
60 AKM 200Y	200	1.50 mm	2,236	2002117
60 AKM 300Y	300	1.50 mm	2,748	2002118
60 AKM 400Y	400	2.00 mm	4,250	2002119
60 AKM 500Y	500	2.00 mm	4,910	2002120
60 AKM 600Y	600	2.00 mm	5,561	2002121
60 AKM 700Y	700	2.00 mm	6,235	2002122
60 AKM 800Y	800	2.00 mm	6,891	2002123
60 AKM 900Y	900	2.00 mm	7,547	2002124
60 AKM 1000Y	1.000	2.00 mm	8,202	2002125

H100

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100Y	100	1.50 mm	2,350	2002136
100 AKM 200Y	200	1.50 mm	3,240	2002137
100 AKM 300Y	300	1.50 mm	4,080	2002138
100 AKM 400Y	400	2.00 mm	5,860	2002139
100 AKM 500Y	500	2.00 mm	6,800	2002140
100 AKM 600Y	600	2.00 mm	7,745	2002141
100 AKM 700Y	700	2.00 mm	8,720	2002142
100 AKM 800Y	800	2.00 mm	9,660	2002143
100 AKM 900Y	900	2.00 mm	10,605	2002144
100 AKM 1000Y	1.000	2.00 mm	11,545	2002145





H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200Y	200	1.50 mm	3,970	2002146
150 AKM 300Y	300	1.50 mm	4,920	2002147
150 AKM 400Y	400	2.00 mm	7,125	2002148
150 AKM 500Y	500	2.00 mm	8,210	2002149
150 AKM 600Y	600	2.00 mm	9,305	2002150
150 AKM 700Y	700	2.00 mm	10,420	2002151
150 AKM 800Y	800	2.00 mm	11,505	2002152
150 AKM 900Y	900	2.00 mm	12,600	2002153
150 AKM 1000Y	1.000	2.00 mm	13,685	2002154

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AKM100 Y

Yükseklik Kanal Tipi Genişlik Modül
Height Type Width Module



Dönüşlerde "A-B" ölçüleri eşit olarak üretilmektedir. İsteğe bağlı olarak farklı ölçülerde üretim yapılır.

Bends are produced same dimension for "A-B" as well as we can produce special dimensions regarding your inquiry.



ARTIM METAL ELEKTRİK A.Ş.

* Farklı kalınlık ve ölçülerde üretim yapılabilmektedir.
* Malzeme ağırlıkları yaklaşık değerlerdir, ± %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı ± %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change ± %10 difference.
* Cable trays thickness tolerances are shown ± %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

90° YATAY DÖNÜS R300

90° BEND R300

SICAK DALDIRMA (SD)

HOT DIP GALVANIZED (HDG)

TS EN ISO 1461



H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes

H100 = H150 = Dört delikli
H100 = H150 = Four holes

H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100Y	100	1.50 mm	1,464	2002100
40 AKM 200Y	200	1.50 mm	1,887	2002101
40 AKM 300Y	300	1.50 mm	2,533	2002102
40 AKM 400Y	400	2.00 mm	3,962	2002103
40 AKM 500Y	500	2.00 mm	4,598	2002104
40 AKM 600Y	600	2.00 mm	5,234	2002105

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100Y	100	1.50 mm	1,808	2002116
60 AKM 200Y	200	1.50 mm	2,370	2002117
60 AKM 300Y	300	1.50 mm	2,913	2002118
60 AKM 400Y	400	2.00 mm	4,505	2002119
60 AKM 500Y	500	2.00 mm	5,205	2002120
60 AKM 600Y	600	2.00 mm	5,895	2002121
60 AKM 700Y	700	2.00 mm	6,609	2002122
60 AKM 800Y	800	2.00 mm	7,304	2002123
60 AKM 900Y	900	2.00 mm	8,000	2002124
60 AKM 1000Y	1.000	2.00 mm	8,694	2002125

H100

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100Y	100	1.50 mm	2,491	2002136
100 AKM 200Y	200	1.50 mm	3,434	2002137
100 AKM 300Y	300	1.50 mm	4,325	2002138
100 AKM 400Y	400	2.00 mm	6,212	2002139
100 AKM 500Y	500	2.00 mm	7,208	2002140
100 AKM 600Y	600	2.00 mm	8,210	2002141
100 AKM 700Y	700	2.00 mm	9,243	2002142
100 AKM 800Y	800	2.00 mm	10,240	2002143
100 AKM 900Y	900	2.00 mm	11,241	2002144
100 AKM 1000Y	1.000	2.00 mm	12,238	2002145





H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200Y	200	1.50 mm	4,208	2002146
150 AKM 300Y	300	1.50 mm	5,215	2002147
150 AKM 400Y	400	2.00 mm	7,553	2002148
150 AKM 500Y	500	2.00 mm	8,703	2002149
150 AKM 600Y	600	2.00 mm	9,863	2002150
150 AKM 700Y	700	2.00 mm	11,045	2002151
150 AKM 800Y	800	2.00 mm	12,195	2002152
150 AKM 900Y	900	2.00 mm	13,356	2002153
150 AKM 1000Y	1.000	2.00 mm	14,506	2002154

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AKM100 Y

Yükseklik | Kanal Tipi | Genişlik | Modül
Height | Type | Width | Module



* Farklı kalınlık ve ölçülerde üretim yapılabılır.
* Malzeme ağırlıkları yaklaşık değerlerdir, ± %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı ± %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change ± %10 difference.
* Cable trays thickness tolerances are shown ± %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

90° YATAY DÖNÜS R450

90° BEND R450

SICAK DALDIRMA (SD)
HOT DIP GALVANIZED (HDG)
TS EN ISO 1461



H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes

H100 = H150 = Dört delikli
H100 = H150 = Four holes

H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100Y	100	1.50 mm	1,610	2002100
40 AKM 200Y	200	1.50 mm	2,075	2002101
40 AKM 300Y	300	1.50 mm	2,787	2002102
40 AKM 400Y	400	2.00 mm	4,359	2002103
40 AKM 500Y	500	2.00 mm	5,058	2002104
40 AKM 600Y	600	2.00 mm	5,758	2002105

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100Y	100	1.50 mm	1,989	2002116
60 AKM 200Y	200	1.50 mm	2,607	2002117
60 AKM 300Y	300	1.50 mm	3,204	2002118
60 AKM 400Y	400	2.00 mm	4,956	2002119
60 AKM 500Y	500	2.00 mm	5,725	2002120
60 AKM 600Y	600	2.00 mm	6,484	2002121
60 AKM 700Y	700	2.00 mm	7,270	2002122
60 AKM 800Y	800	2.00 mm	8,035	2002123
60 AKM 900Y	900	2.00 mm	8,800	2002124
60 AKM 1000Y	1.000	2.00 mm	9,564	2002125

H100

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100Y	100	1.50 mm	2,740	2002136
100 AKM 200Y	200	1.50 mm	3,778	2002137
100 AKM 300Y	300	1.50 mm	4,757	2002138
100 AKM 400Y	400	2.00 mm	6,833	2002139
100 AKM 500Y	500	2.00 mm	7,929	2002140
100 AKM 600Y	600	2.00 mm	9,031	2002141
100 AKM 700Y	700	2.00 mm	10,168	2002142
100 AKM 800Y	800	2.00 mm	11,264	2002143
100 AKM 900Y	900	2.00 mm	12,365	2002144
100 AKM 1000Y	1.000	2.00 mm	13,461	2002145






H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200Y	200	1.50 mm	4,629	2002146
150 AKM 300Y	300	1.50 mm	5,737	2002147
150 AKM 400Y	400	2.00 mm	8,308	2002148
150 AKM 500Y	500	2.00 mm	9,573	2002149
150 AKM 600Y	600	2.00 mm	10,850	2002150
150 AKM 700Y	700	2.00 mm	12,150	2002151
150 AKM 800Y	800	2.00 mm	13,415	2002152
150 AKM 900Y	900	2.00 mm	14,692	2002153
150 AKM 1000Y	1.000	2.00 mm	15,957	2002154

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AKM100 Y

Yükseklik | Kanal Tipi | Genişlik | Modül
Height | Type | Width | Module



ARTIM METAL ELEKTRİK A.Ş.

* Farklı kalınlık ve ölçülerde üretim yapılabılır.
* Malzeme ağırlıkları yaklaşık değerlerdir, ± %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı ± %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change ± %10 difference.
* Cable trays thickness tolerances are shown ± %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

90° YATAY DÖNÜS R600

90° BEND R600

SICAK DALDIRMA (SD)

HOT DIP GALVANIZED (HDG)

TS EN ISO 1461



H40 = Tek delikli

H40 = One hole

H60 = İki delikli

H60 = Two holes

H100 = H150 = Dört delikli

H100 = H150 = Four holes

H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100Y	100	1.50 mm	1,771	2002100
40 AKM 200Y	200	1.50 mm	2,283	2002101
40 AKM 300Y	300	1.50 mm	3,065	2002102
40 AKM 400Y	400	2.00 mm	4,794	2002103
40 AKM 500Y	500	2.00 mm	5,564	2002104
40 AKM 600Y	600	2.00 mm	6,333	2002105

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100Y	100	1.50 mm	2,188	2002116
60 AKM 200Y	200	1.50 mm	2,868	2002117
60 AKM 300Y	300	1.50 mm	3,525	2002118
60 AKM 400Y	400	2.00 mm	5,451	2002119
60 AKM 500Y	500	2.00 mm	6,298	2002120
60 AKM 600Y	600	2.00 mm	7,133	2002121
60 AKM 700Y	700	2.00 mm	7,997	2002122
60 AKM 800Y	800	2.00 mm	8,838	2002123
60 AKM 900Y	900	2.00 mm	9,680	2002124
60 AKM 1000Y	1.000	2.00 mm	10,520	2002125

H100

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100Y	100	1.50 mm	3,014	2002136
100 AKM 200Y	200	1.50 mm	4,156	2002137
100 AKM 300Y	300	1.50 mm	5,233	2002138
100 AKM 400Y	400	2.00 mm	7,516	2002139
100 AKM 500Y	500	2.00 mm	8,722	2002140
100 AKM 600Y	600	2.00 mm	9,934	2002141
100 AKM 700Y	700	2.00 mm	11,184	2002142
100 AKM 800Y	800	2.00 mm	12,390	2002143
100 AKM 900Y	900	2.00 mm	13,602	2002144
100 AKM 1000Y	1.000	2.00 mm	14,808	2002145





H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200Y	200	1.50 mm	5,092	2002146
150 AKM 300Y	300	1.50 mm	6,310	2002147
150 AKM 400Y	400	2.00 mm	9,139	2002148
150 AKM 500Y	500	2.00 mm	10,530	2002149
150 AKM 600Y	600	2.00 mm	11,935	2002150
150 AKM 700Y	700	2.00 mm	13,365	2002151
150 AKM 800Y	800	2.00 mm	14,756	2002152
150 AKM 900Y	900	2.00 mm	16,161	2002153
150 AKM 1000Y	1.000	2.00 mm	17,552	2002154

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AKM100 Y

Yükseklik Kanal Tipi Genişlik Modül
Height Type Width Module



* Farklı kalınlık ve ölçülerde üretim yapıla bilinir.
* Malzeme ağırlıkları yaklaşık değerlerdir, ± %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı ± %10 dur.
* Lütfen siparişinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change ± %10 difference.
* Cable trays thickness tolerances are shown ± %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

T BAĞLANTI

T BEND

SICAK DALDIRMA (SD)
HOT DIP GALVANIZED (HDG)
TS EN ISO 1461



H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes

H100 = H150 = Dört delikli
H100 = H150 = Four holes



H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100T	100	1.50 mm	2,064	2002200
40 AKM 200T	200	1.50 mm	2,408	2002201
40 AKM 300T	300	1.50 mm	3,027	2002202
40 AKM 400T	400	2.00 mm	4,482	2002203
40 AKM 500T	500	2.00 mm	5,003	2002204
40 AKM 600T	600	2.00 mm	5,524	2002205

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100T	100	1.50 mm	2,604	2002216
60 AKM 200T	200	1.50 mm	3,031	2002217
60 AKM 300T	300	1.50 mm	3,464	2002218
60 AKM 400T	400	2.00 mm	5,073	2002219
60 AKM 500T	500	2.00 mm	5,621	2002220
60 AKM 600T	600	2.00 mm	6,166	2002221
60 AKM 700T	700	2.00 mm	6,714	2002222
60 AKM 800T	800	2.00 mm	7,258	2002223
60 AKM 900T	900	2.00 mm	7,807	2002224
60 AKM 1000T	1.000	2.00 mm	8,351	2002225

H100





Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100T	100	1.50 mm	3,675	2002236
100 AKM 200T	200	1.50 mm	4,435	2002237
100 AKM 300T	300	1.50 mm	5,200	2002238
100 AKM 400T	400	2.00 mm	7,025	2002239
100 AKM 500T	500	2.00 mm	8,835	2002240
100 AKM 600T	600	2.00 mm	8,645	2002241
100 AKM 700T	700	2.00 mm	9,455	2002242
100 AKM 800T	800	2.00 mm	10,265	2002243
100 AKM 900T	900	2.00 mm	11,080	2002244
100 AKM 1000T	1.000	2.00 mm	11,890	2002245

H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200T	200	1.50 mm	5,350	2002246
150 AKM 300T	300	1.50 mm	6,165	2002247
150 AKM 400T	400	2.00 mm	8,380	2002248
150 AKM 500T	500	2.00 mm	9,265	2002249
150 AKM 600T	600	2.00 mm	10,145	2002250
150 AKM 700T	700	2.00 mm	11,025	2002251
150 AKM 800T	800	2.00 mm	11,910	2002252
150 AKM 900T	900	2.00 mm	12,890	2002253
150 AKM 1000T	1.000	2.00 mm	13,670	2002254

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AKM100 T



Dönüşlerde "A-B-C" ölçüleri eşit olarak üretilmektedir. İsteğe bağlı olarak farklı ölçülerde üretim yapılır. Bends are produced same dimension for "A-B-C" as well as we can produce special dimensions regarding your inquiry.

ARTIM METAL ELEKTRİK A.Ş.

* Farklı kalınlık ve ölçülerde üretim yapılabılır.
* Malzeme ağırlıkları yaklaşık değerlerdir, ± %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı ± %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change ± %10 difference.
* Cable trays thickness tolerances are shown ± %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

T BAGLANTI R300

T BEND R300

SICAK DALDIRMA (SD)

HOT DIP GALVANIZED (HDG)

TS EN ISO 1461



H40 = Tek delikli

H40 = One hole

H60 = İki delikli

H60 = Two holes

H100 = H150 = Dört delikli

H100 = H150 = Four holes

H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100T	100	1.50 mm	2,188	2002200
40 AKM 200T	200	1.50 mm	2,552	2002201
40 AKM 300T	300	1.50 mm	3,209	2002202
40 AKM 400T	400	2.00 mm	4,751	2002203
40 AKM 500T	500	2.00 mm	5,303	2002204
40 AKM 600T	600	2.00 mm	5,855	2002205

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100T	100	1.50 mm	2,760	2002216
60 AKM 200T	200	1.50 mm	3,213	2002217
60 AKM 300T	300	1.50 mm	3,672	2002218
60 AKM 400T	400	2.00 mm	5,377	2002219
60 AKM 500T	500	2.00 mm	5,958	2002220
60 AKM 600T	600	2.00 mm	6,536	2002221
60 AKM 700T	700	2.00 mm	7,117	2002222
60 AKM 800T	800	2.00 mm	7,693	2002223
60 AKM 900T	900	2.00 mm	8,275	2002224
60 AKM 1000T	1.000	2.00 mm	8,852	2002225

H100

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100T	100	1.50 mm	3,896	2002236
100 AKM 200T	200	1.50 mm	4,701	2002237
100 AKM 300T	300	1.50 mm	5,512	2002238
100 AKM 400T	400	2.00 mm	7,447	2002239
100 AKM 500T	500	2.00 mm	9,365	2002240
100 AKM 600T	600	2.00 mm	9,164	2002241
100 AKM 700T	700	2.00 mm	10,022	2002242
100 AKM 800T	800	2.00 mm	10,881	2002243
100 AKM 900T	900	2.00 mm	11,745	2002244
100 AKM 1000T	1.000	2.00 mm	12,603	2002245





H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200T	200	1.50 mm	5,671	2002246
150 AKM 300T	300	1.50 mm	6,535	2002247
150 AKM 400T	400	2.00 mm	8,883	2002248
150 AKM 500T	500	2.00 mm	9,821	2002249
150 AKM 600T	600	2.00 mm	10,754	2002250
150 AKM 700T	700	2.00 mm	11,687	2002251
150 AKM 800T	800	2.00 mm	12,625	2002252
150 AKM 900T	900	2.00 mm	13,663	2002253
150 AKM 1000T	1.000	2.00 mm	14,490	2002254

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AKM100 T

Yükseklik Kanal Tipi Genişlik Modül
Height Type Width Module



* Farklı kalınlık ve ölçülerde üretim yapıla bilinir.
* Malzeme ağırlıkları yaklaşık değerlerdir, ± %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı ± %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change ± %10 difference.
* Cable trays thickness tolerances are shown ± %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

T BAGLANTI R450

T BEND R450

SICAK DALDIRMA (SD)
HOT DIP GALVANIZED (HDG)
TS EN ISO 1461



H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes

H100 = H150 = Dört delikli
H100 = H150 = Four holes

H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100T	100	1.50 mm	2,407	2002200
40 AKM 200T	200	1.50 mm	2,808	2002201
40 AKM 300T	300	1.50 mm	3,529	2002202
40 AKM 400T	400	2.00 mm	5,226	2002203
40 AKM 500T	500	2.00 mm	5,833	2002204
40 AKM 600T	600	2.00 mm	6,441	2002205

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100T	100	1.50 mm	3,036	2002216
60 AKM 200T	200	1.50 mm	3,534	2002217
60 AKM 300T	300	1.50 mm	4,039	2002218
60 AKM 400T	400	2.00 mm	5,915	2002219
60 AKM 500T	500	2.00 mm	6,554	2002220
60 AKM 600T	600	2.00 mm	7,190	2002221
60 AKM 700T	700	2.00 mm	7,829	2002222
60 AKM 800T	800	2.00 mm	8,463	2002223
60 AKM 900T	900	2.00 mm	9,103	2002224
60 AKM 1000T	1.000	2.00 mm	9,737	2002225

H100

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100T	100	1.50 mm	4,285	2002236
100 AKM 200T	200	1.50 mm	5,171	2002237
100 AKM 300T	300	1.50 mm	6,063	2002238
100 AKM 400T	400	2.00 mm	8,191	2002239
100 AKM 500T	500	2.00 mm	10,302	2002240
100 AKM 600T	600	2.00 mm	10,080	2002241
100 AKM 700T	700	2.00 mm	11,025	2002242
100 AKM 800T	800	2.00 mm	11,969	2002243
100 AKM 900T	900	2.00 mm	12,919	2002244
100 AKM 1000T	1.000	2.00 mm	13,864	2002245






H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200T	200	1.50 mm	6,238	2002246
150 AKM 300T	300	1.50 mm	7,188	2002247
150 AKM 400T	400	2.00 mm	9,771	2002248
150 AKM 500T	500	2.00 mm	10,803	2002249
150 AKM 600T	600	2.00 mm	11,829	2002250
150 AKM 700T	700	2.00 mm	12,855	2002251
150 AKM 800T	800	2.00 mm	13,887	2002252
150 AKM 900T	900	2.00 mm	15,030	2002253
150 AKM 1000T	1.000	2.00 mm	15,939	2002254

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AKM100 T

Yükseklik Kanal Tipi Genişlik Modül
Height Type Width Module



ARTIM METAL ELEKTRİK A.Ş.

* Farklı kalınlık ve ölçülerde üretim yapılabılır.
* Malzeme ağırlıkları yaklaşık değerlerdir, ± %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı ± %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change ± %10 difference.
* Cable trays thickness tolerances are shown ± %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

T BAGLANTI R600

T BEND R600

SICAK DALDIRMA (SD)

HOT DIP GALVANIZED (HDG)

TS EN ISO 1461



H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes

H100 = H150 = Dört delikli
H100 = H150 = Four holes

H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100T	100	1.50 mm	2,647	2002200
40 AKM 200T	200	1.50 mm	3,089	2002201
40 AKM 300T	300	1.50 mm	3,882	2002202
40 AKM 400T	400	2.00 mm	5,749	2002203
40 AKM 500T	500	2.00 mm	6,417	2002204
40 AKM 600T	600	2.00 mm	7,085	2002205

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100T	100	1.50 mm	3,340	2002216
60 AKM 200T	200	1.50 mm	3,888	2002217
60 AKM 300T	300	1.50 mm	4,443	2002218
60 AKM 400T	400	2.00 mm	6,507	2002219
60 AKM 500T	500	2.00 mm	7,209	2002220
60 AKM 600T	600	2.00 mm	7,909	2002221
60 AKM 700T	700	2.00 mm	8,611	2002222
60 AKM 800T	800	2.00 mm	9,309	2002223
60 AKM 900T	900	2.00 mm	10,013	2002224
60 AKM 1000T	1.000	2.00 mm	10,711	2002225

H100

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100T	100	1.50 mm	4,714	2002236
100 AKM 200T	200	1.50 mm	5,688	2002237
100 AKM 300T	300	1.50 mm	6,670	2002238
100 AKM 400T	400	2.00 mm	9,010	2002239
100 AKM 500T	500	2.00 mm	11,332	2002240
100 AKM 600T	600	2.00 mm	11,088	2002241
100 AKM 700T	700	2.00 mm	12,127	2002242
100 AKM 800T	800	2.00 mm	13,166	2002243
100 AKM 900T	900	2.00 mm	14,211	2002244
100 AKM 1000T	1.000	2.00 mm	15,250	2002245





H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200T	200	1.50 mm	6,862	2002246
150 AKM 300T	300	1.50 mm	7,907	2002247
150 AKM 400T	400	2.00 mm	10,748	2002248
150 AKM 500T	500	2.00 mm	11,883	2002249
150 AKM 600T	600	2.00 mm	13,012	2002250
150 AKM 700T	700	2.00 mm	14,141	2002251
150 AKM 800T	800	2.00 mm	15,276	2002252
150 AKM 900T	900	2.00 mm	16,533	2002253
150 AKM 1000T	1.000	2.00 mm	17,533	2002254

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AKM100 T

Yükseklik Kanal Tipi Genişlik Modül
Height Type Width Module



* Farklı kalınlık ve ölçülerde üretim yapıla bilinir.
* Malzeme ağırlıkları yaklaşık değerlerdir, ± %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı ± %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change ± %10 difference.
* Cable trays thickness tolerances are shown ± %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

DÖRTLÜ BAGLANTI

FOUR WAY CROSSING

SICAK DALDIRMA (SD)
HOT DIP GALVANIZED (HDG)
TS EN ISO 1461



H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes

H100 = H150 = Dört delikli
H100 = H150 = Four holes

H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100D	100	1.50 mm	2,595	2002300
40 AKM 200D	200	1.50 mm	2,910	2002301
40 AKM 300D	300	1.50 mm	3,589	2002302
40 AKM 400D	400	2.00 mm	5,138	2002303
40 AKM 500D	500	2.00 mm	5,607	2002304
40 AKM 600D	600	2.00 mm	6,082	2002305

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100D	100	1.50 mm	3,310	2002316
60 AKM 200D	200	1.50 mm	3,692	2002317
60 AKM 300D	300	1.50 mm	4,068	2002318
60 AKM 400D	400	2.00 mm	5,775	2002319
60 AKM 500D	500	2.00 mm	6,249	2002320
60 AKM 600D	600	2.00 mm	6,723	2002321
60 AKM 700D	700	2.00 mm	7,965	2002322
60 AKM 800D	800	2.00 mm	8,518	2002323
60 AKM 900D	900	2.00 mm	9,072	2002324
60 AKM 1000D	1.000	2.00 mm	9,625	2002325

H100





Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100D	100	1.50 mm	4,745	2002336
100 AKM 200D	200	1.50 mm	5,485	2002337
100 AKM 300D	300	1.50 mm	6,225	2002338
100 AKM 400D	400	2.00 mm	8,080	2002339
100 AKM 500D	500	2.00 mm	8,815	2002340
100 AKM 600D	600	2.00 mm	9,555	2002341
100 AKM 700D	700	2.00 mm	11,495	2002342
100 AKM 800D	800	2.00 mm	12,355	2002343
100 AKM 900D	900	2.00 mm	13,220	2002344
100 AKM 1000D	1.000	2.00 mm	14,080	2002345

H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200D	200	1.50 mm	6,435	2002346
150 AKM 300D	300	1.50 mm	7,175	2002347
150 AKM 400D	400	2.00 mm	9,345	2002348
150 AKM 500D	500	2.00 mm	10,085	2002349
150 AKM 600D	600	2.00 mm	10,821	2002350
150 AKM 700D	700	2.00 mm	12,765	2002351
150 AKM 800D	800	2.00 mm	13,625	2002352
150 AKM 900D	900	2.00 mm	14,485	2002353
150 AKM 1000D	1.000	2.00 mm	15,345	2002354

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AKM100 D



Dönüşlerde "A-B-C-D" ölçüleri eşit olarak üretilmektedir. İsteğe bağlı olarak farklı ölçülerde üretim yapılır. Bends are produced same dimension for "A-B-C-D" as well as we can produce special dimensions regarding your inquiry.

ARTIM METAL ELEKTRİK A.Ş.

* Farklı kalınlık ve ölçülerde üretim yapılabilmektedir.
* Malzeme ağırlıkları yaklaşık değerlerdir, \pm %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı \pm %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change \pm %10 difference.
* Cable trays thickness tolerances are shown \pm %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

DÖRTLÜ BAGLANTI R300

FOUR WAY CROSSING R300

SICAK DALDIRMA (SD)

HOT DIP GALVANIZED (HDG)

TS EN ISO 1461



H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes

H100 = H150 = Dört delikli
H100 = H150 = Four holes

H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100D	100	1.50 mm	2,751	2002300
40 AKM 200D	200	1.50 mm	3,085	2002301
40 AKM 300D	300	1.50 mm	3,804	2002302
40 AKM 400D	400	2.00 mm	5,446	2002303
40 AKM 500D	500	2.00 mm	5,943	2002304
40 AKM 600D	600	2.00 mm	6,447	2002305

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100D	100	1.50 mm	3,509	2002316
60 AKM 200D	200	1.50 mm	3,914	2002317
60 AKM 300D	300	1.50 mm	4,312	2002318
60 AKM 400D	400	2.00 mm	6,122	2002319
60 AKM 500D	500	2.00 mm	6,624	2002320
60 AKM 600D	600	2.00 mm	7,126	2002321
60 AKM 700D	700	2.00 mm	8,443	2002322
60 AKM 800D	800	2.00 mm	9,029	2002323
60 AKM 900D	900	2.00 mm	9,616	2002324
60 AKM 1000D	1.000	2.00 mm	10,203	2002325

H100





Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100D	100	1.50 mm	5,030	2002336
100 AKM 200D	200	1.50 mm	5,814	2002337
100 AKM 300D	300	1.50 mm	6,599	2002338
100 AKM 400D	400	2.00 mm	8,565	2002339
100 AKM 500D	500	2.00 mm	9,344	2002340
100 AKM 600D	600	2.00 mm	10,128	2002341
100 AKM 700D	700	2.00 mm	12,185	2002342
100 AKM 800D	800	2.00 mm	13,096	2002343
100 AKM 900D	900	2.00 mm	14,013	2002344
100 AKM 1000D	1.000	2.00 mm	14,925	2002345

H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200D	200	1.50 mm	6,821	2002346
150 AKM 300D	300	1.50 mm	7,606	2002347
150 AKM 400D	400	2.00 mm	9,906	2002348
150 AKM 500D	500	2.00 mm	10,690	2002349
150 AKM 600D	600	2.00 mm	11,470	2002350
150 AKM 700D	700	2.00 mm	13,531	2002351
150 AKM 800D	800	2.00 mm	14,443	2002352
150 AKM 900D	900	2.00 mm	15,354	2002353
150 AKM 1000D	1.000	2.00 mm	16,266	2002354

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AKM100 D



* Farklı kalınlık ve ölçülerde üretim yapıla bilinir.
* Malzeme ağırlıkları yaklaşık değerlerdir, \pm %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı \pm %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change \pm %10 difference.
* Cable trays thickness tolerances are shown \pm %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

DÖRTLÜ BAGLANTI R450

FOUR WAY CROSSING R450

SICAK DALDIRMA (SD)
HOT DIP GALVANIZED (HDG)
TS EN ISO 1461



H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes

H100 = H150 = Dört delikli
H100 = H150 = Four holes

H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100D	100	1.50 mm	3,026	2002300
40 AKM 200D	200	1.50 mm	3,393	2002301
40 AKM 300D	300	1.50 mm	4,185	2002302
40 AKM 400D	400	2.00 mm	5,991	2002303
40 AKM 500D	500	2.00 mm	6,538	2002304
40 AKM 600D	600	2.00 mm	7,092	2002305

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100D	100	1.50 mm	3,859	2002316
60 AKM 200D	200	1.50 mm	4,305	2002317
60 AKM 300D	300	1.50 mm	4,743	2002318
60 AKM 400D	400	2.00 mm	6,734	2002319
60 AKM 500D	500	2.00 mm	7,286	2002320
60 AKM 600D	600	2.00 mm	7,839	2002321
60 AKM 700D	700	2.00 mm	9,287	2002322
60 AKM 800D	800	2.00 mm	9,932	2002323
60 AKM 900D	900	2.00 mm	10,578	2002324
60 AKM 1000D	1.000	2.00 mm	11,223	2002325





H100

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100D	100	1.50 mm	5,533	2002336
100 AKM 200D	200	1.50 mm	6,396	2002337
100 AKM 300D	300	1.50 mm	7,258	2002338
100 AKM 400D	400	2.00 mm	9,421	2002339
100 AKM 500D	500	2.00 mm	10,278	2002340
100 AKM 600D	600	2.00 mm	11,141	2002341
100 AKM 700D	700	2.00 mm	13,403	2002342
100 AKM 800D	800	2.00 mm	14,406	2002343
100 AKM 900D	900	2.00 mm	15,415	2002344
100 AKM 1000D	1.000	2.00 mm	16,417	2002345

H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200D	200	1.50 mm	7,503	2002346
150 AKM 300D	300	1.50 mm	8,366	2002347
150 AKM 400D	400	2.00 mm	10,896	2002348
150 AKM 500D	500	2.00 mm	11,759	2002349
150 AKM 600D	600	2.00 mm	12,617	2002350
150 AKM 700D	700	2.00 mm	14,884	2002351
150 AKM 800D	800	2.00 mm	15,887	2002352
150 AKM 900D	900	2.00 mm	16,890	2002353
150 AKM 1000D	1.000	2.00 mm	17,892	2002354

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS



ARTIM METAL ELEKTRİK A.Ş.

* Farklı kalınlık ve ölçülerde üretim yapılabılır.
* Malzeme ağırlıkları yaklaşık değerlerdir, \pm %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı \pm %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change \pm %10 difference.
* Cable trays thickness tolerances are shown \pm %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

DÖRTLÜ BAGLANTI R600

FOUR WAY CROSSING R600

SICAK DALDIRMA (SD)

HOT DIP GALVANIZED (HDG)

TS EN ISO 1461



H40 = Tek delikli

H40 = One hole

H60 = İki delikli

H60 = Two holes

H100 = H150 = Dört delikli

H100 = H150 = Four holes

H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100D	100	1.50 mm	3,328	2002300
40 AKM 200D	200	1.50 mm	3,732	2002301
40 AKM 300D	300	1.50 mm	4,603	2002302
40 AKM 400D	400	2.00 mm	6,590	2002303
40 AKM 500D	500	2.00 mm	7,192	2002304
40 AKM 600D	600	2.00 mm	7,801	2002305

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100D	100	1.50 mm	4,245	2002316
60 AKM 200D	200	1.50 mm	4,735	2002317
60 AKM 300D	300	1.50 mm	5,218	2002318
60 AKM 400D	400	2.00 mm	7,407	2002319
60 AKM 500D	500	2.00 mm	8,015	2002320
60 AKM 600D	600	2.00 mm	8,623	2002321
60 AKM 700D	700	2.00 mm	10,216	2002322
60 AKM 800D	800	2.00 mm	10,925	2002323
60 AKM 900D	900	2.00 mm	11,636	2002324
60 AKM 1000D	1.000	2.00 mm	12,345	2002325

H100

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100D	100	1.50 mm	6,086	2002336
100 AKM 200D	200	1.50 mm	7,035	2002337
100 AKM 300D	300	1.50 mm	7,984	2002338
100 AKM 400D	400	2.00 mm	10,363	2002339
100 AKM 500D	500	2.00 mm	11,306	2002340
100 AKM 600D	600	2.00 mm	12,255	2002341
100 AKM 700D	700	2.00 mm	14,743	2002342
100 AKM 800D	800	2.00 mm	15,847	2002343
100 AKM 900D	900	2.00 mm	16,956	2002344
100 AKM 1000D	1.000	2.00 mm	18,059	2002345





H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200D	200	1.50 mm	8,254	2002346
150 AKM 300D	300	1.50 mm	9,203	2002347
150 AKM 400D	400	2.00 mm	11,986	2002348
150 AKM 500D	500	2.00 mm	12,935	2002349
150 AKM 600D	600	2.00 mm	13,879	2002350
150 AKM 700D	700	2.00 mm	16,372	2002351
150 AKM 800D	800	2.00 mm	17,475	2002352
150 AKM 900D	900	2.00 mm	18,578	2002353
150 AKM 1000D	1.000	2.00 mm	19,681	2002354

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AKM100 D

Yükseklik Kanal Tipi Genişlik Modül
Height Type Width Module



* Farklı kalınlık ve ölçülerde üretim yapıla bilinir.
* Malzeme ağırlıkları yaklaşık değerlerdir, ± %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı ± %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change ± %10 difference.
* Cable trays thickness tolerances are shown ± %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

45° YATAY DÖNÜS

45° BEND

SICAK DALDIRMA (SD)
HOT DIP GALVANIZED (HDG)
TS EN ISO 1461



H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes

H100 = H150 = Dört delikli
H100 = H150 = Four holes

H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100Y (45°)	100	1.50 mm	1,093	2002160
40 AKM 200Y (45°)	200	1.50 mm	1,232	2002161
40 AKM 300Y (45°)	300	1.50 mm	1,445	2002162
40 AKM 400Y (45°)	400	2.00 mm	2,146	2002163
40 AKM 500Y (45°)	500	2.00 mm	2,347	2002164
40 AKM 600Y (45°)	600	2.00 mm	2,548	2002165

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100Y (45°)	100	1.50 mm	1,381	2002166
60 AKM 200Y (45°)	200	1.50 mm	1,543	2002167
60 AKM 300Y (45°)	300	1.50 mm	1,706	2002168
60 AKM 400Y (45°)	400	2.00 mm	2,511	2002169
60 AKM 500Y (45°)	500	2.00 mm	2,729	2002170
60 AKM 600Y (45°)	600	2.00 mm	2,948	2002171

H100

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100Y (45°)	100	1.50 mm	1,875	2002172
100 AKM 200Y (45°)	200	1.50 mm	2,110	2002173
100 AKM 300Y (45°)	300	1.50 mm	2,340	2002174
100 AKM 400Y (45°)	400	2.00 mm	3,450	2002175
100 AKM 500Y (45°)	500	2.00 mm	3,765	2002176
100 AKM 600Y (45°)	600	2.00 mm	4,075	2002177





H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200Y (45°)	200	1.50 mm	2,925	2002178
150 AKM 300Y (45°)	300	1.50 mm	3,240	2002179
150 AKM 400Y (45°)	400	2.00 mm	4,585	2002180
150 AKM 500Y (45°)	500	2.00 mm	4,965	2002181
150 AKM 600Y (45°)	600	2.00 mm	5,350	2002182

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AKM100 Y (45°)

Yükseklik | Kanal Tipi | Genişlik | Modül
Height | Type | Width | Module



ARTIM METAL ELEKTRİK A.Ş.

* Farklı kalınlık ve ölçülerde üretim yapılabılır.
* Malzeme ağırlıkları yaklaşık değerlerdir, ± %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı ± %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change ± %10 difference.
* Cable trays thickness tolerances are shown ± %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

REDÜKSİYON (PARÇALI)

REDUCING ANGLES (PIECE)

SICAK DALDIRMA (SD)

HOT DIP GALVANIZED (HDG)

TS EN ISO 1461



H40

Sipariş Kodu Order Code	W (mm)	T (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AGH 050R	50	1.50 mm	0,195	2001400
40 AGH 100R	100	1.50 mm	0,240	2001401
40 AGH 150R	150	1.50 mm	0,275	2001402
40 AGH 200R	200	1.50 mm	0,315	2001403
40 AGH 300R	300	1.50 mm	0,395	2001404

H60

Sipariş Kodu Order Code	W (mm)	T (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AGH 050R	50	1.50 mm	0,260	2001410
60 AGH 100R	100	1.50 mm	0,315	2001411
60 AGH 150R	150	1.50 mm	0,370	2001412
60 AGH 200R	200	1.50 mm	0,420	2001413
60 AGH 300R	300	1.50 mm	0,525	2001414


H100

Sipariş Kodu Order Code	W (mm)	T (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AGH 050R	50	1.50 mm	0,380	2001415
100 AGH 100R	100	1.50 mm	0,465	2001416
100 AGH 150R	150	1.50 mm	0,540	2001417
100 AGH 200R	200	1.50 mm	0,625	2001418
100 AGH 300R	300	1.50 mm	0,785	2001419


H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AGH 100 R


Yükseklik | Kanal Tipi | Genişlik | Modül
Height | Type | Width | Module



SOLA / LEFT



SAĞA / RIGHT



ORTADAN / FROM MIDDLE



Ürün tek olarak satılmaktadır.
The product is sold single.

* Farklı kalınlık ve ölçülerde üretim yapılabilmektedir.
* Malzeme ağırlıkları yaklaşık değerlerdir, \pm %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı \pm %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change \pm %10 difference.
* Cable trays thickness tolerances are shown \pm %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

MERDİVEN SEVIYE DEĞİSTİRME

LEVEL CHANGE UNITS

SICAK DALDIRMA (SD)
HOT DIP GALVANİZED (HDG)
TS EN ISO 1461



H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes

H100 = H150 = Dört delikli
H100 = H150 = Four holes



H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100S	100	1.50 mm	0,451	2002800
40 AKM 200S	200	1.50 mm	0,506	2002801
40 AKM 300S	300	1.50 mm	0,567	2002802
40 AKM 400S	400	2.00 mm	0,827	2002803
40 AKM 500S	500	2.00 mm	0,916	2002804
40 AKM 600S	600	2.00 mm	0,995	2002805

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100S	100	1.50 mm	0,562	2002812
60 AKM 200S	200	1.50 mm	0,623	2002813
60 AKM 300S	300	1.50 mm	0,678	2002814
60 AKM 400S	400	2.00 mm	0,985	2002815
60 AKM 500S	500	2.00 mm	1,064	2002816
60 AKM 600S	600	2.00 mm	1,143	2002817

H100

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100S	100	1.50 mm	0,830	2002824
100 AKM 200S	200	1.50 mm	0,920	2002825
100 AKM 300S	300	1.50 mm	1,015	2002826
100 AKM 400S	400	2.00 mm	1,470	2002827
100 AKM 500S	500	2.00 mm	1,595	2002828
100 AKM 600S	600	2.00 mm	1,715	2002829






H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200S	200	1.50 mm	1,305	2002830
150 AKM 300S	300	1.50 mm	1,430	2002831
150 AKM 400S	400	2.00 mm	1,905	2002832
150 AKM 500S	500	2.00 mm	2,030	2002833
150 AKM 600S	600	2.00 mm	2,150	2002834

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AKM100 S

Yükseklik Kanal Tipi Genişlik Modül
Height Type Width Module



ARTIM METAL ELEKTRİK A.Ş.

* Farklı kalınlık ve ölçülerde üretim yapılabılır.
* Malzeme ağırlıkları yaklaşık değerlerdir, \pm %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı \pm %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change \pm %10 difference.
* Cable trays thickness tolerances are shown \pm %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

İÇ-DİS BÜKEY DÖNÜS (HAREKETLİ)

ADJUSTABLE INSIDE-OUTSIDE VERTICAL BENDS

SICAK DALDIRMA (SD)

HOT DIP GALVANIZED (HDG)

TS EN ISO 1461



H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes

H100 = H150 = Dört delikli
H100 = H150 = Four holes

H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100B	100	1.50 mm	1,613	2002500
40 AKM 200B	200	1.50 mm	1,803	2002501
40 AKM 300B	300	1.50 mm	1,994	2002502
40 AKM 400B	400	2.00 mm	2,696	2002503
40 AKM 500B	500	2.00 mm	2,887	2002504
40 AKM 600B	600	2.00 mm	3,078	2002505

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100B	100	1.50 mm	1,999	2002516
60 AKM 200B	200	1.50 mm	2,190	2002517
60 AKM 300B	300	1.50 mm	2,381	2002518
60 AKM 400B	400	2.00 mm	3,221	2002519
60 AKM 500B	500	2.00 mm	3,412	2002520
60 AKM 600B	600	2.00 mm	3,603	2002521
60 AKM 700B	700	2.00 mm	3,794	2002522
60 AKM 800B	800	2.00 mm	3,985	2002523
60 AKM 900B	900	2.00 mm	4,176	2002524
60 AKM 1000B	1.000	2.00 mm	4,366	2002525

H100

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100B	100	1.50 mm	2,796	2002536
100 AKM 200B	200	1.50 mm	3,051	2002537
100 AKM 300B	300	1.50 mm	3,306	2002538
100 AKM 400B	400	2.00 mm	4,474	2002539
100 AKM 500B	500	2.00 mm	4,729	2002540
100 AKM 600B	600	2.00 mm	4,984	2002541
100 AKM 700B	700	2.00 mm	5,240	2002542
100 AKM 800B	800	2.00 mm	5,495	2002543
100 AKM 900B	900	2.00 mm	5,750	2002544
100 AKM 1000B	1.000	2.00 mm	6,005	2002545





H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200B	200	1.50 mm	4,018	2002546
150 AKM 300B	300	1.50 mm	4,274	2002547
150 AKM 400B	400	2.00 mm	5,786	2002548
150 AKM 500B	500	2.00 mm	6,041	2002549
150 AKM 600B	600	2.00 mm	6,297	2002550
150 AKM 700B	700	2.00 mm	6,552	2002551
150 AKM 800B	800	2.00 mm	6,807	2002552
150 AKM 900B	900	2.00 mm	7,063	2002553
150 AKM 1000B	1.000	2.00 mm	7,318	2002554

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AKM 100 B

Yükseklik Kanal Tipi Genişlik Modül
Height Type Width Module



* Farklı kalınlık ve ölçülerde üretim yapıla bilinir.
* Malzeme ağırlıkları yaklaşık değerlerdir, ± %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı ± %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change ± %10 difference.
* Cable trays thickness tolerances are shown ± %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

İÇ BÜKEY DÖNÜS (SABIT)

CONSTANT INSIDE VERTICAL BENDS

SICAK DALDIRMA (SD)
HOT DIP GALVANIZED (HDG)
TS EN ISO 1461



H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes

H100 = H150 = Dört delikli
H100 = H150 = Four holes



H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100B S1	100	1.50 mm	1,935	2002600
40 AKM 200B S1	200	1.50 mm	2,164	2002601
40 AKM 300B S1	300	1.50 mm	2,393	2002602
40 AKM 400B S1	400	2.00 mm	3,236	2002603
40 AKM 500B S1	500	2.00 mm	3,465	2002604
40 AKM 600B S1	600	2.00 mm	3,694	2002605

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100B S1	100	1.50 mm	2,399	2002612
60 AKM 200B S1	200	1.50 mm	2,628	2002613
60 AKM 300B S1	300	1.50 mm	2,857	2002614
60 AKM 400B S1	400	2.00 mm	3,866	2002615
60 AKM 500B S1	500	2.00 mm	4,095	2002616
60 AKM 600B S1	600	2.00 mm	4,324	2002617

H100

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100B S1	100	1.50 mm	3,355	2002624
100 AKM 200B S1	200	1.50 mm	3,661	2002625
100 AKM 300B S1	300	1.50 mm	3,968	2002626
100 AKM 400B S1	400	2.00 mm	5,368	2002627
100 AKM 500B S1	500	2.00 mm	5,675	2002628
100 AKM 600B S1	600	2.00 mm	5,981	2002629





H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200B S1	200	1.50 mm	4,822	2002630
150 AKM 300B S1	300	1.50 mm	5,128	2002631
150 AKM 400B S1	400	2.00 mm	6,943	2002632
150 AKM 500B S1	500	2.00 mm	7,250	2002633
150 AKM 600B S1	600	2.00 mm	7,556	2002634

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AKM100 B S1

Yükseklik Kanal Tipi Genişlik Modül
Height Type Width Module



ARTIM METAL ELEKTRİK A.Ş.

* Farklı kalınlık ve ölçülerde üretim yapılabılır.
* Malzeme ağırlıkları yaklaşık değerlerdir, \pm %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı \pm %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change \pm %10 difference.
* Cable trays thickness tolerances are shown \pm %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

DIS BÜKEY DÖNÜS (SABIT)

CONSTANT OUTSIDE VERTICAL BENDS

SICAK DALDIRMA (SD)

HOT DIP GALVANIZED (HDG)

TS EN ISO 1461



H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes

H100 = H150 = Dört delikli
H100 = H150 = Four holes



H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100B S2	100	1.50 mm	1,935	2002650
40 AKM 200B S2	200	1.50 mm	2,164	2002651
40 AKM 300B S2	300	1.50 mm	2,393	2002652
40 AKM 400B S2	400	2.00 mm	3,236	2002653
40 AKM 500B S2	500	2.00 mm	3,465	2002654
40 AKM 600B S2	600	2.00 mm	3,694	2002655

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100B S2	100	1.50 mm	2,399	2002662
60 AKM 200B S2	200	1.50 mm	2,628	2002663
60 AKM 300B S2	300	1.50 mm	2,857	2002664
60 AKM 400B S2	400	2.00 mm	3,866	2002665
60 AKM 500B S2	500	2.00 mm	4,095	2002666
60 AKM 600B S2	600	2.00 mm	4,324	2002667

H100


Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100B S2	100	1.50 mm	3,355	2002674
100 AKM 200B S2	200	1.50 mm	3,661	2002675
100 AKM 300B S2	300	1.50 mm	3,968	2002676
100 AKM 400B S2	400	2.00 mm	5,368	2002677
100 AKM 500B S2	500	2.00 mm	5,675	2002678
100 AKM 600B S2	600	2.00 mm	5,981	2002679

H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200B S2	200	1.50 mm	4,822	2002680
150 AKM 300B S2	300	1.50 mm	5,128	2002681
150 AKM 400B S2	400	2.00 mm	6,943	2002682
150 AKM 500B S2	500	2.00 mm	7,250	2002683
150 AKM 600B S2	600	2.00 mm	7,556	2002684

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AKM 100 B S2



* Farklı kalınlık ve ölçülerde üretim yapıla bilinir.
* Malzeme ağırlıkları yaklaşık değerlerdir, \pm %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı \pm %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change \pm %10 difference.
* Cable trays thickness tolerances are shown \pm %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

DIKEY T BAGLANTI

VERTICAL TEES

SICAK DALDIRMA (SD)
HOT DIP GALVANIZED (HDG)
TS EN ISO 1461



H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes

H100 = H150 = Dört delikli
H100 = H150 = Four holes



H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100DD	100	1.50 mm	2,910	2002700
40 AKM 200DD	200	1.50 mm	3,868	2002701
40 AKM 300DD	300	1.50 mm	4,822	2002702
40 AKM 400DD	400	2.00 mm	7,719	2002703
40 AKM 500DD	500	2.00 mm	8,997	2002704
40 AKM 600DD	600	2.00 mm	10,276	2002705

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100DD	100	1.50 mm	3,329	2002712
60 AKM 200DD	200	1.50 mm	4,338	2002713
60 AKM 300DD	300	1.50 mm	5,342	2002714
60 AKM 400DD	400	2.00 mm	8,486	2002715
60 AKM 500DD	500	2.00 mm	9,839	2002716
60 AKM 600DD	600	2.00 mm	11,187	2002717

H100

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100DD	100	1.50 mm	4,260	2002724
100 AKM 200DD	200	1.50 mm	5,925	2002725
100 AKM 300DD	300	1.50 mm	6,815	2002726
100 AKM 400DD	400	2.00 mm	10,785	2002727
100 AKM 500DD	500	2.00 mm	12,490	2002728
100 AKM 600DD	600	2.00 mm	14,195	2002729





H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200DD	200	1.50 mm	7,260	2002730
150 AKM 300DD	300	1.50 mm	8,850	2002731
150 AKM 400DD	400	2.00 mm	13,280	2002732
150 AKM 500DD	500	2.00 mm	15,240	2002733
150 AKM 600DD	600	2.00 mm	17,200	2002734

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AKM100 DD

Yükseklik Kanal Tipi Genişlik Modül
Height Type Width Module



ARTIM METAL ELEKTRİK A.Ş.

* Farklı kalınlık ve ölçülerde üretim yapılabılır.
* Malzeme ağırlıkları yaklaşık değerlerdir, ± %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı ± %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change ± %10 difference.
* Cable trays thickness tolerances are shown ± %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

ORTADAN T BAĞLANTI

FROM MIDDLE VERTICAL TEES

SICAK DALDIRMA (SD)

HOT DIP GALVANIZED (HDG)

TS EN ISO 1461



H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes

H100 = H150 = Dört delikli
H100 = H150 = Four holes



H40

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
40 AKM 100DO	100	1.50 mm	3,282	2002750
40 AKM 200DO	200	1.50 mm	3,515	2002751
40 AKM 300DO	300	1.50 mm	3,743	2002752
40 AKM 400DO	400	2.00 mm	5,319	2002753
40 AKM 500DO	500	2.00 mm	5,635	2002754
40 AKM 600DO	600	2.00 mm	5,947	2002755

H60

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
60 AKM 100DO	100	1.50 mm	3,906	2002762
60 AKM 200DO	200	1.50 mm	4,138	2002763
60 AKM 300DO	300	1.50 mm	4,371	2002764
60 AKM 400DO	400	2.00 mm	6,151	2002765
60 AKM 500DO	500	2.00 mm	6,468	2002766
60 AKM 600DO	600	2.00 mm	6,779	2002767

H100

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
100 AKM 100DO	100	1.50 mm	5,135	2002774
100 AKM 200DO	200	1.50 mm	5,505	2002775
100 AKM 300DO	300	1.50 mm	5,870	2002776
100 AKM 400DO	400	2.00 mm	8,315	2002777
100 AKM 500DO	500	2.00 mm	8,805	2002778
100 AKM 600DO	600	2.00 mm	9,295	2002779





H150

Sipariş Kodu Order Code	W (mm)	T1/T2 (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Barkod Kodu Barcode Code
150 AKM 200DO	200	1.50 mm	7,470	2002780
150 AKM 300DO	300	1.50 mm	7,960	2002781
150 AKM 400DO	400	2.00 mm	10,620	2002782
150 AKM 500DO	500	2.00 mm	11,110	2002783
150 AKM 600DO	600	2.00 mm	15,595	2002784

H = YÜKSEKLİK = HEIGHT / W = GENİŞLİK = WIDTH / T = KALINLIK = THICKNESS

H AKM100 DD

Yükseklik Kanal Tipi Genişlik Modül
Height Type Width Module



* Farklı kalınlık ve ölçülerde üretim yapılabılır.
* Malzeme ağırlıkları yaklaşık değerlerdir, ± %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı ± %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change ± %10 difference.
* Cable trays thickness tolerances are shown ± %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

EK ELEMANI

STRAIGHT CONNECTION COUPLER

PREGALVANIZ (PG)
PREGALVANIZED (PG)
TS EN 10346



H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes

H100 = H150 = Dört delikli
H100 = H150 = Four holes



H40

Sipariş Kodu Order Code	T (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Paket İçi(ad) In Package(Pcs)	Barkod Kodu Barcode Code
40 AST 1	1.20 mm	0,088	300	2001001
40 AST 2	1.50 mm	0,108	250	2001002
40 AST 3	2.00 mm	0,142	200	2001003

H60


Sipariş Kodu Order Code	T (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Paket İçi(ad) In Package(Pcs)	Barkod Kodu Barcode Code
60 AST 1	1.20 mm	0,125	200	2001015
60 AST 2	1.50 mm	0,157	-	2001016
60 AST 3	2.00 mm	0,205	-	2001017

H = YÜKSEKLİK = HEIGHT / T = KALINLIK = THICKNESS / L = BOY = LENGTH = 175 mm




1 Adet H40 - H50 Ek montajı için;
M8x15 Civata 4 Adet M8 Somun 4 Adet kullanılmalıdır.
1 Adet H60 - H75 - H100 Ek montajı için;
M8x15 Civata 8 Adet M8 Somun 8 Adet kullanılmalıdır.

For the installation of 1 H40 - H50 Splice;
M8x15 Bolts 4 Pieces M8 Nuts 4 Pieces must be used.
1 piece H60 - H75 - H100 for additional assembly;
M8x15 Bolts 8 Pieces M8 Nuts 8 Pieces should be used.




H40

Sipariş Kodu Order Code	T (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Paket İçi(ad) In Package(Pcs)	Barkod Kodu Barcode Code
40 AST 2A	1.50 mm	0,135	-	2001007



H60

Sipariş Kodu Order Code	T (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Paket İçi(ad) In Package(Pcs)	Barkod Kodu Barcode Code
60 AST 2A	1.50 mm	0,180	-	2001018



H = YÜKSEKLİK = HEIGHT / T = KALINLIK = THICKNESS / L = BOY = LENGTH = 175 mm


SICAK DALDIRMA (SD)
HOT DIP GALVANIZED (SD)
TS EN ISO 1461



AMR

Sipariş Kodu Order Code	T (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Paket İçi(ad) In Package(Pcs)	Barkod Kodu Barcode Code
AMR	3.00 mm	0,050	-	2002840

T = KALINLIK = THICKNESS / L = BOY = LENGTH = 74 mm



ARTIM METAL ELEKTRİK A.Ş.

* Farklı kalınlık ve ölçülerde üretim yapılabılır.
* Malzeme ağırlıkları yaklaşık değerlerdir, \pm %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı \pm %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change \pm %10 difference.
* Cable trays thickness tolerances are shown \pm %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

EK ELEMANI

STRAIGHT CONNECTION COUPLER

SICAK DALDIRMA (SD)

HOT DIP GALVANIZED (HDG)


TS EN ISO 1461



H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes


H100 = H150 = Dört delikli
H100 = H150 = Four holes




H40				
Sipariş Kodu Order Code	T (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Paket İçi(ad) In Package(Pcs)	Barkod Kodu Barcode Code
40 AST 1	1.20 mm	0,096	300	2001001
40 AST 2	1.50 mm	0,120	250	2001002
40 AST 3	2.00 mm	0,160	200	2001003



H60				
Sipariş Kodu Order Code	T (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Paket İçi(ad) In Package(Pcs)	Barkod Kodu Barcode Code
60 AST 1	1.20 mm	0,135	200	2001015
60 AST 2	1.50 mm	0,169	-	2001016
60 AST 3	2.00 mm	0,225	-	2001017



H100				
Sipariş Kodu Order Code	T (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Paket İçi(ad) In Package(Pcs)	Barkod Kodu Barcode Code
100 AST 1	1.20 mm	0,212	-	2001019
100 AST 2	1.50 mm	0,265	-	2001020
100 AST 3	2.00 mm	0,350	-	2001021



H150				
Sipariş Kodu Order Code	T (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Paket İçi(ad) In Package(Pcs)	Barkod Kodu Barcode Code
150 AST 2	1.50 mm	0,371	-	2001023
150 AST 3	2.00 mm	0,493	-	2001024

H = YÜKSEKLİK = HEIGHT / T = KALINLIK = THICKNESS / L = BOY = LENGTH = 175 mm


1 Adet H40 - H50 Ek montajı için;
M8x15 Cıvata 4 Adet M8 Somun 4 Adet kullanılmalıdır.
1 Adet H60 - H75 - H100 Ek montajı için;
M8x15 Cıvata 8 Adet M8 Somun 8 Adet kullanılmalıdır.

For the installation of 1 H40 - H50 Splice;
M8x15 Bolts 4 Pieces M8 Nuts 4 Pieces must be used.
1 piece H60 - H75 - H100 for additional assembly;
M8x15 Bolts 8 Pieces M8 Nuts 8 Pieces should be used.


H40				
Sipariş Kodu Order Code	T (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Paket İçi(ad) In Package(Pcs)	Barkod Kodu Barcode Code
40 AST 2A	1.50 mm	0,150	-	2001007



H60				
Sipariş Kodu Order Code	T (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Paket İçi(ad) In Package(Pcs)	Barkod Kodu Barcode Code
60 AST 2A	1.50 mm	0,195	-	2001018



H100				
Sipariş Kodu Order Code	T (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Paket İçi(ad) In Package(Pcs)	Barkod Kodu Barcode Code
100 AST 2A	1.50 mm	0,390	-	2001022



H150				
Sipariş Kodu Order Code	T (mm)	Ağırlık (kg/ad) Weight (kg/pcs)	Paket İçi(ad) In Package(Pcs)	Barkod Kodu Barcode Code
150 AST 2A	1.50 mm	0,449	-	2001025

H = YÜKSEKLİK = HEIGHT / T = KALINLIK = THICKNESS / L = BOY = LENGTH = 175 mm

H40 = Tek delikli
H40 = One hole

H60 = İki delikli
H60 = Two holes

H100 = H150 = Dört delikli
H100 = H150 = Four holes

* Farklı kalınlık ve ölçülerde üretim yapılabılır.
* Malzeme ağırlıkları yaklaşık değerlerdir, ± %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı ± %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change ± %10 difference.
* Cable trays thickness tolerances are shown ± %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

MERDİVEN SEPERATÖRÜ

SEPARATOR

PREGALVANIZ (PG)
PREGALVANIZED (PG)
TS EN 10346



H40 = H60 = H100 = H150 Tek delikli
H40 = H60 = H100 = H150 One hole



H40				
Sipariş Kodu Order Code	L (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
40 AKM SP-12	3.000	1.20 mm	0,398	2002850
40 AKM SP-15	3.000	1.50 mm	0,497	2002851

H60				
Sipariş Kodu Order Code	L (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
60 AKM SP-15	3.000	1.50 mm	0,720	2002854

H100				
Sipariş Kodu Order Code	L (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
100 AKM SP-15	3.000	1.50 mm	1,185	2002858

H150				
Sipariş Kodu Order Code	L (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
150 AKM SP-15	3.000	1.50 mm	1,679	2002861

H = YÜKSEKLİK = HEIGHT / L = BOY = LENGTH / T = KALINLIK = THICKNESS



H40 = H60 = H100 = H150 Tek delikli
H40 = H60 = H100 = H150 One hole


H40				
Sipariş Kodu Order Code	L (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
40 AKM SP-15A	3.000	1.50 mm	0,607	2002862

H60				
Sipariş Kodu Order Code	L (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
60 AKM SP-15A	3.000	1.50 mm	0,827	2002864

H100				
Sipariş Kodu Order Code	L (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
100 AKM SP-15A	3.000	1.50 mm	1,301	2002866

H50				
Sipariş Kodu Order Code	L (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
150 AKM SP-15A	3.000	1.50 mm	1,845	2002867

H = YÜKSEKLİK = HEIGHT / L = BOY = LENGTH / T = KALINLIK = THICKNESS



ARTIM METAL ELEKTRİK A.Ş.

* Farklı kalınlık ve ölçülerde üretim yapılabılır.
* Malzeme ağırlıkları yaklaşık değerlerdir, \pm %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı \pm %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve Kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change \pm %10 difference.
* Cable trays thickness tolerances are shown \pm %10 .
* Please indicate order code and coating type in your orders.

AKM SERIES

MERDİVEN SEPERATÖRÜ

SEPARATOR

SICAK DALDIRMA (SD)

HOT DIP GALVANIZED (HDG)

TS EN ISO 1461



H40 = H60 = H100 = H150 Tek delikli
H40 = H60 = H100 = H150 One hole



H40				
Sipariş Kodu Order Code	L (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
40 AKM SP-12	3.000	1.20 mm	0,430	2002850
40 AKM SP-15	3.000	1.50 mm	0,537	2002851

H60				
Sipariş Kodu Order Code	L (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
60 AKM SP-15	3.000	1.50 mm	0,778	2002854

H100				
Sipariş Kodu Order Code	L (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
100 AKM SP-15	3.000	1.50 mm	1,280	2002858

H150				
Sipariş Kodu Order Code	L (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
150 AKM SP-15	3.000	1.50 mm	1,813	2002861

H = YÜKSEKLİK = HEIGHT / L = BOY = LENGTH / T = KALINLIK = THICKNESS



H40 = H60 = H100 = H150 Tek delikli
H40 = H60 = H100 = H150 One hole


H40				
Sipariş Kodu Order Code	L (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
40 AKM SP-15A	3.000	1.50 mm	0,656	2002862

H60				
Sipariş Kodu Order Code	L (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
60 AKM SP-15A	3.000	1.50 mm	0,893	2002864

H100				
Sipariş Kodu Order Code	L (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
100 AKM SP-15A	3.000	1.50 mm	1,405	2002866

H50				
Sipariş Kodu Order Code	L (mm)	T (mm)	Ağırlık (kg/m) Weight (kg/m)	Barkod Kodu Barcode Code
150 AKM SP-15A	3.000	1.50 mm	1,993	2002867

H = YÜKSEKLİK = HEIGHT / L = BOY = LENGTH / T = KALINLIK = THICKNESS



* Farklı kalınlık ve ölçülerde üretim yapılabılır.
* Malzeme ağırlıkları yaklaşık değerlerdir, ± %10 değişiklik gösterebilir.
* Malzeme kalınlık toleransı ± %10 dur.
* Lütfen siparişlerinizde sipariş kodu veya ürün kodu ve kaplama şeklini belirtiniz.

* We can produce cable trays different thickness and dimensions
* Cable trays are shown approximately weight, they could change ± %10 difference.
* Cable trays thickness tolerances are shown ± %10 .
* Please indicate order code and coating type in your orders.